

भारत को है वादा, अब चलाइए और कमाइए सबसे ज़्यादा







Luxury और Premiumness की पहचान

Length X Width X Height 2790)	X985X1795mm
-------------------------------	-------------

Special Features Roof carrier, Remote Locking, Music System,

Wiper Motor, Curtains and Rear Shocker

Frame & Chassis M.S. Heavy Duty Chassis (Tubular)

Chassis Weight 228kg

Battery Weight 150kg

Loading Capacity/ 1 Driver + 4 Seating Capacity **Passengers**

Estimated Range 150+ Kms*

24.96km/hr (Maximum Max Speed

Stipulate Speed By Indian

Government)

Climbing Ability 10 Degree (with loading 490kg)

Motor Peak Power (W)

& Туре

1560W BLDC Motor

Lead Acid-Exide & **Battery**

Eastman

*Please note that all the details are under optimal driving conditions and may vary due to varying terrain, specs, etc.

60 V, 125-160Ah (5 No.s) **Battery Specs**

Brake Drum

3.75-12 Tyre Size

Minimum Turning Radius 2.32m

Specially Designed Metal Rim Wheel Type

Hydraulic

Front Brake 130mm dia (Drum Type)

Rear Brake 158mm dia (Drum Type)

Starting System **Electric Start**

Front Shock Absorber

(Télescopic Type)

Leaf Spring + Rear Shocker Rear Shock Absorber

Speedometer Analog

10mm Thick Heavy Duty Water Proof Wiring Harness

Charger 60V, 15A SMPS

Charger

Roof Metal Roof

Available in SS and MS Frame







Excellence और Performance का दूसरा नाम

Length X Width X Height	2775X980X1760mm
Special Features	Music System, Roof Carrier Wiper Motor, Curtains & Rear Shocker
Frame & Chassis	M.S. Heavy Duty Chassis (Tubular)
Chassis Weight	219kg
Battery Weight	120kg
Loading Capacity/ Seating Capacity	1 Driver + 4 Passengers
Estimated Range	120+ Kms*

Stipulate Speed By Indian Government)

Climbing Ability (with loading 490kg)

Stipulate Speed By Indian Government)

10 Degree

Motor Peak Power (W) & Type

1586W BLDC Motor

24.96km/hr (Maximum

Battery

Max Speed

Lead Acid- Exide & Eastman

*Please note that all the details are under optimal driving conditions and may vary due to varying terrain, specs, etc.

Battery Specs	48 V, 125-160Ah (4 No.s
Brake	Drum
Tyre Size	3.75-12
Minimum Turning Radius	2.32m
Wheel Type	Specially Designed Metal Rim
Front Brake	130mm dia (Drum Type)
Rear Brake	160mm dia (Drum Type)
Starting System	Electric Start
Front Shock Absorber	Hydraulic (Telescopic Type)
Rear Shock Absorber	Leaf Spring + Rear Shockers
Speedometer	Analog
Wiring Harness	10mm Thick Heavy Duty Water Proof
Charger	48V, 12A SMPS Charger
Roof	Metal Roof

Available in SS and MS Frame



Length X Width X Height 2790X990X1790mm

Frame & Chassis M.S. Heavy Duty

Chassis GVW 840kg

Load Carrying 310Kg Capacity

Estimated Range 100km+*

Max Speed 24.96km/hr (Maximum Stipulate Speed By Indian

Government)

Lifting of Cart Fully Auto Hydraulic

System

Motor Peak Power (W) 1560W BLDC Motor

& Туре

Battery Specs 60V, 125-160Ah (5 No.s)

Battery Type Lead Acid

Brake Drum

Minimum Turning Radius 2.32 m

Seating Capacity Driver

*Please note that all the details are under optimal driving conditions and may vary due to varying terrain, specs, etc.

Wheel Type Special Designer
Metal Rim

Front Brake 130mm dia (Drum Type)

Rear Brake 158mm dia (Drum Type)

Starting Type Electric Start

Front Shock Absorber Hydraulic (Telescopic Type)

Rear Suspension System Leaf Spring + Rear Shockers

Speedometer Analog

Wiring Harness 10mm Thick Heavy Duty Waterproof

<u>Charger</u> 60V, 18A SMPS Charger

Roof Acrylonitrile Butadiene

Styrene (ABS)
Plastic / Metal

Waste Collection Type Dry & Wet

Public Announcement 30W Power, 80db

System



Length X Width X Height	2795X1000X1640mm
Frame & Chassis	M.S. Heavy Duty Chassis
Chassis Weight	213kg
Battery Weight	174kg
GVW / Loading Capacity	765/310Kg
Estimated Range	125+ Kms*
Max Speed	24.96km/hr (Maximum Stipulate Speed By Indian Government)
Climbing Ability (with loading 490kg)	7 Degree
Motor Peak Power (W) & Type	1350W BLDC Motor
Battery	60V, Lead Acid Battery
Battery Specs	60V, 125-160Ah (5 No.s)
Roof	Acrylonitrile Butadiene Styrene (ABS) Plastic/Metal

^{*}Please note that all the details are under optimal driving conditions and may vary due to varying terrain, specs, etc.

Brake	Drum
Tyre Size	3.75-12
Minimum Turning Radius	2.23m
Wheel Type	Specially Designed Metal Rim
Front Brake	130mm dia (Drum Type)
Rear Brake	160mm dia (Drum Type)
Starting System	Electric Start
Front Shock Absorber	Hydraulic (Telescopic Type)
Rear Shock Absorber	Leaf Spring + Rear Shockers
Speedometer	Analog
Wiring Harness	10mm Thick Heavy Duty Water Proof
Charger	60V, 15A SMPS Charger



Length X Width X Height 2790 X 985 X 1795mm

Special Features Roof Carrier, Remote

Locking, Music System, Wiper Motor, Curtains and Rear Shocker, SS Rear Bumper, Robust D-Pipe Frame,

Illuminating Rim Stickers

Frame & Chassis M.S.Heavy Duty Chassis (Tubular)

Chassis Weight 248 kg

Battery weight 150 kg

Loading Capacity/ 1 Driver + 4 Passengers Seating Capacity

Estimated Range 150+ Kms*

Max Speed 24.96km/hr (Maximum Stipulate Speed By

Indian Government)

Climbing Ability
(with loading 490kg)

10 Degree

Motor Peak Power (W) 1560W BLDC Motor & Type

*Please note that all the details are under optimal driving conditions and may vary due to varying terrain, specs, etc.

Battery Lead Acid - Exide & Eastman

Battery Specs 60 V, 125-160 Ah (5 No.s)

Brake Drum

Tyre Size 3.75 - 12

Minimum Turning Radius 2.32m

Wheel Type Specially Designed

Metal Rum

Front Brake 130mm dia (Drum Type)

Rear Brake 158mm dia (Drum Type)

Starting System Electric Start

Front Shock Absorber Hydraulic (Telescopic Type)

(Telescopie Type)

Rear Shock Absorber Leaf Spring + Rear Shocker

Speedometer Analog

Wiring Harness 10mm Thick Heavy Duty

Water Proof

Charger 60V, 15A SMPS Charger

Roof Metal Roof

Actual vehicle may vary from images shown

क्यों चुनता है Bharat Deltic को?



150 km तक Mileage

Deltic का है भारत को वादा अब चलाओ और कमाओ सबसे ज्यादा



Features of Premium Luxury Cars

Optimal ground clearance, maximum leg space, SUV में लगने वाला 13 स्टेप CED पेंट



Scientifically Reinforced Build Quality

भारत के लिए बना और भारतीयों के जैसा मज़बूत, Double bonded chassis और अटूट Body के साथ



Engineered in and for India Components

Motor, Controller, Battery जो हैं Best Quality की, मतलब Maximum Power के साथ Brand का भरोसा



Inside Out Best Products - People's Choice Award

Style और Comfort में कोई टक्कर नहीं है और तो और Components के Level पर Perfection

बनिए ३० गुना* तरक्की के हकदार Deltic Dealership के साथ



र 1600 करोड़

से भी ज़्यादा की <mark>बचत</mark> और कमाई की है Deltic Dealers और Customers ने



Component Level Repairing & Servicing

देशभर में फैला B,Tech Service Engineers का Network



Many and Reliable Financers

बैंक और NBFC के साथ tie-ups के माध्यम से सर्वोत्तम Finance Options



Join the Revolution

84% तक और ज़्यादा का RoI और 2800% का Growth मतलब रुकना तो है ही नहीं



Made to Win Products

वैज्ञानिकों द्वार<mark>ा बनाए गए</mark> अटूट Hi-Tech Products जो करते हैं Market पर राज



50,000+ Happy Customers



Presence in 24 States



350+ Showrooms Nationally



27 Crore+ Rides



50 Lac km Travelled Every Day



Manufacturing Facility : Delta AutoCorp Private Limited

Plot No 304P, Mihijam Road, Rupnarayanpur, Pithakiari, Hindusthan Cables Town, Paschim Bardhaman, West Bengal,713386 Manufacturing Facility:
Delta AutoCorp Private Limited
61,62 & 63 Ganeshwar Paper Mills,
Dhundaheda, Saharanpur Road,
Baghpat, UP- 250101

Head Office:

Delta Autocorp Private Limited

501-502, 5th Floor, NDM - 1, Netaji Subhash Place, Delhi - 110034